

Industrial / Spectacles / 5X2 HYBRID

## 5X2 Advanced Hybrid - Clear

Code: 5X2.03.05.00

Date: 06-06-25 1/3

Ultra-Protective, Incredibly Comfortable, and Unbelievably Versatile: the 5X2 is designed to fit seamlessly over any prescription frame, whether thin or large. It offers an expansive 15% increase in field of vision without the bulkiness associated with traditional safety OTG.



## Frame mark (ANSI)

U Z87+ D3 D4

## Frame mark ISO 16321

16321 U DT 3 4

## Lens mark (ANSI)

U + U6 X

## Lens mark ISO 16321

U UL1,2 DT K N

## Frame technology

Overspec, Hybrid, Rubber Terminal

## Conditions of use

Standard brightness

## Fields of use

Liquids (3), Large dust particles (4), Protection from drops/splashes (D3 - ANSI), Protection from dust (D4 - ANSI)

## Lens technology

Anti-Scratch + Anti-Fog (KN - Vanguard PLUS), UV400

## Lens color

Clear

## Lens material

Polycarbonate

## Frame color

Black/Green

## Standards

ANSI/ISEA Z87.1-2020, ISO 16321

## Mechanical resistance

Impact level resistance: 80 m/s (D)

## Optional requirements

Resistance to surface damage by fine particles (K), Resistance to fogging of oculars (N), Protection against high speed particles at extreme temperatures -5°/+55° C (T)

## Optical class

Optical class (1)

## PPE Category

2nd Category

## Weight

65g

Industrial / Spectacles / 5X2 HYBRID

# 5X2 Advanced Hybrid - Clear

Code: 5X2.03.05.00

Date: 06-06-25 2/3

---

---

**Industrial / Spectacles / 5X2 HYBRID**

3/3

>> <https://www.univetsafety.com/en/products/safety/spectacles/5x2-hybrid/5x2-advanced-hybrid-clear/>

Attention! Any images on this page illustrate the frame technologies of the product family in question and may represent frame and lens colours that do not correspond to the product code of the following sheet.

---

**HEADQUARTERS**

Univet S.r.l. Via Giovanni Prati 87 25086 Rezzato - Telephone 030 2499411 - Fax 030 2499430 - [info@univetsafety.com](mailto:info@univetsafety.com)  
VAT. IT02506570163